IN THE CLAIMS

1. (Original) Congeneric, chlorinated, brominated and/or iodinated, fluorinated aromatic compounds having two benzene rings in their base structure, the fluorinated aromatic compounds having the general formula I or II:

$$A^{1}-(L)_{p}-B^{1}$$
 (I) or

$$A^{2}$$
 B^{2}
(II);

where the index and the variables are each defined as follows:

is a monovalent, monofluorinated phenyl radical or monovalent, chlorinated, brominated and/or iodinated, monofluorinated phenyl radical;

- is a monovalent, chlorinated, brominated and/or iodinated phenyl radical or monovalent, unhalogenated phenyl radical;
- is a divalent, monofluorinated phenyl radical or divalent, chlorinated, brominated and/or iodinated, monofluorinated phenyl radical;
- B² is a divalent, chlorinated, brominated and/or iodinated phenyl radical or divalent, unhalogenated phenyl radical;
- is an oxygen atom, sulfur atom or alkylene radical; with the provisos that
- in the compounds I and II, the phenyl radical A^1 or A^2 is chlorinated, brominated and/or iodinated when the phenyl radical B^1 or B^2 is unhalogenated;
- (2) in the monobrominated compounds I where p = 0, the phenyl radical B^1 is substituted by the bromine atom;
- (3) in the tetrachlorinated compounds II where p = 1 and L =

oxygen atom, both phenyl radicals A^2 and B^2 are substituted by at least one chlorine atom and

(4) the penta-, hexa- and hepta-halogenated compounds II where p = 1 and L = oxygen atom are substituted by bromine and/or iodine or by chlorine and bromine and/or iodine;

or have the general formula III, IV, V, VI or VII:

$$[A^1-I^+-A^1]_q Y^{q-}$$
 (IIIa) or

$$[A^3-I^+-A^3]_q Y^{q-}$$
 (IIIb),

$$A^{1}-(L)_{p}-A^{1}$$
 (IV),

$$A^3 - (L)_p - B^1$$
 (V),

$$A^{2}$$
 A^{2}
 A^{2}
 A^{2}
 A^{3}
 A^{2}
 A^{3}
 A^{2}
 A^{3}
 A^{3}
 A^{4}
 A^{5}
 A^{5}
 A^{5}
 A^{5}
 A^{5}
 A^{5}

$$A^{(L)_p}B^2$$
 (VII);


where the variables A^1 , B^1 , A^2 , B^2 and L and the index p are each as defined above and the variables Y, A^3 and A^4 and the index q are each defined as follows:

- q is an integer from 1 to 4;
- Y is an acid anion;
- is a monovalent, difluorinated phenyl radical or monovalent, chlorinated, brominated and/or iodinated, difluorinated phenyl radical;
- A⁴ is a divalent, difluorinated phenyl radical or divalent, chlorinated, brominated and/or iodinated,

difluorinated phenyl radical;

with the provisos that


- (5) in the difluorinated compounds III, A¹ is not a monovalent, monofluorinated phenyl radical;
- (6) in the difluorinated compounds IV, at least one phenyl radical A¹ is chlorinated, brominated and/or iodinated;
- (7) in the difluorinated compounds V, the phenyl radical A^3 is chlorinated, brominated and/or iodinated when the monovalent phenyl radical B^1 is not halogenated;
- (8) in the difluorinated compounds VI, at least one phenyl radical A^2 is chlorinated, brominated and/or iodinated and
- (9) in the difluorinated compounds VII, the phenyl radical A^3 is chlorinated, brominated and/or iodinated when the divalent phenyl radical B^2 is not halogenated.
- 2. (Currently Amended) Congeneric compounds as claimed in claim 1, characterized in that wherein the phenyl radical A¹ has the general formula XX:



(XX),

where the variable X = halogen atom selected from the group consisting of chlorine, bromine and iodine, and the index n = 0 or an integer from 1 to 4.

3. (Currently Amended) Congeneric compounds as claimed in claim 1 or 2, characterized in that <u>claim 1</u>, wherein the phenyl radical B¹ has the general formula XXI:



(XXI),


where the variable X = halogen atom selected from the group consisting of chlorine, bromine and iodine, and the index m = 0 or an integer from 1 to 5.

4. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 3, characterized in that claim 1, wherein the phenyl radical \mathbb{A}^2 has the general formula XXII:

(XXII).

where the variable X = halogen atom selected from the group consisting of chlorine, bromine and iodine, and the index r = 0 or an integer from 1 to 3.


5. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 4, characterized in that claim 1, wherein the phenyl radical B² has the general formula XXII:



(XXIII),

where the variable X = halogen atom selected from the group consisting of chlorine, bromine and iodine, and the index s = 0 or an integer from 1 to 4.


6. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 5, characterized in that <u>claim 1, wherein</u> the phenyl radical A³ has the general formula XXIV:



(XXIV),

where the variable X = halogen atom selected from the group consisting of chlorine, bromine and iodine, and the index n = 0, 1 or 2.

7. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 6, characterized in that claim 1, wherein the phenyl radical A⁴ has the general formula XXV:



(XXV),

where the variable X = halogen atom selected from the group consisting of chlorine, bromine and iodine, and the index u = 0, 1 or 2.

- 8. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 7, characterized in that claim 1, wherein L = carbon-carbon single bond, oxygen atom or methylene radical.
- 9. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 8, characterized in that claim 1, wherein the halogen atom X is selected from the group consisting of chlorine and bromine.
- 10. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 9, characterized in that claim 1, wherein $Y = Cl^-$ or SO_4^{2-} .

- 11. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 10, characterized in that claim 1, wherein the phenyl radicals A¹ are selected from the group consisting of:
 - 2-, 3- and 4-fluorophenyl;
 - 2-fluoro-3-halo-, 2-fluoro-4-halo-, 2-fluoro-5-halo- and 2-fluoro-6-halophenyl;
 - 3-fluoro-2-halo-, 3-fluoro-4-halo-, 3-fluoro-5-halo- and 3-fluoro-6-halophenyl;
 - 4-fluoro-2-halo- and 4-fluoro-3-halophenyl;
 - 2-fluoro-3,4-dihalo-, 2-fluoro-3,5-dihalo-, 2-fluoro-3,6-dihalo-, 2-fluoro-4,5-dihalo- and 2-fluoro-4,6-dihalophenyl;
 - 3-fluoro-2,4-dihalo-, 3-fluoro-2,5-dihalo-, 3-fluoro-2,6-dihalo-, 3-fluoro-4,5-dihalo, 3-fluoro-4,6-dihalo- and 3-fluoro-5,6-dihalophenyl;
 - 4-fluoro-2,3-dihalo-, 4-fluoro-2,5-dihalo-, 4-fluoro-3,5-dihalo- and 4-fluoro-2,6-dihalophenyl;
 - 2-fluoro-3,4,5-trihalo-, 2-fluoro-3,4,6-trihalo- and 2-fluoro-4,5,6-trihalophenyl;
 - 3-fluoro-2,4,5-trihalo-, 3-fluoro-2,4,6-trihalo- and 3-fluoro-4,5,6-trihalophenyl;
 - 4-fluoro-2,3,5-trihalo- and 4-fluoro-2,5,6-trihalophenyl; and
 - 2-fluoro-3,4,5,6-tetrahalo-, 3-fluoro-2,4,5,6-tetrahalo-

and 4-fluoro-2, 3, 5, 6-tetrahalophenyl.

- - 2-, 3- and 4-fluorophenyl;
 - 2-fluoro-3-chloro-, 2-fluoro-4-chloro-, 2-fluoro-5-chloroand 2-fluoro-6-chlorophenyl;
 - 3-fluoro-2-chloro-, 3-fluoro-4-chloro-, 3-fluoro-5-chloroand 3-fluoro-6-chlorophenyl;
 - 4-fluoro-2-chloro- and 4-fluoro-3-chlorophenyl;
 - 2-fluoro-3-bromo-, 2-fluoro-4-bromo-, 2-fluoro-5-bromo- and 2-fluoro-6-bromophenyl;
 - 3-fluoro-2-bromo-, 3-fluoro-4-bromo-, 3-fluoro-5-bromo- and 3-fluoro-6-bromophenyl;
 - 4-fluoro-2-bromo- and 4-fluoro-3-bromophenyl;
 - 2-fluoro-4-chloro-3-bromo-, 2-fluoro-3-chloro-4-bromo-, 2-fluoro-5-chloro-3-bromo-, 2-fluoro-3-chloro-5-bromo-, 2-fluoro-6-chloro-3-bromo-, 2-fluoro-3-chloro-6-bromo-, 2-fluoro-5-chloro-4-bromo-, 2-fluoro-4-chloro-5-bromo-, 2-fluoro-6-chloro-4-bromo-, 2-fluoro-6-chloro-6-bromo-, 2-fluoro-5-chloro-6-bromo- and 2-fluoro-6-chloro-5-bromophenyl;
 - 3-fluoro-4-chloro-2-bromo-, 3-fluoro-2-chloro-4-bromo-, 3-

fluoro-5-chloro-2-bromo-, 3-fluoro-2-chloro-5-bromo-, 3-fluoro-6-chloro-2-bromo-, 3-fluoro-2-chloro-6-bromo-, 3-fluoro-5-chloro-4-bromo-, 3-fluoro-4-chloro-5-bromo-, 2-fluoro-6-chloro-4-bromo-, 3-fluoro-4-chloro-6-bromo-, 3-fluoro-6-chloro-5-bromo- and 3-fluoro-5-chloro-6-bromophenyl;

- 4-fluoro-3-chloro-2-bromo-, 4-fluoro-2-chloro-3-bromo-, 4-fluoro-2-chloro-5-bromo-, 4-fluoro-5-chloro-3-bromo- and 4-fluoro-2-chloro-6-bromophenyl;
- 2-fluoro-4,5-dichloro-3-bromo-, 2-fluoro-3,5-dichloro-4-bromo-, 2-fluoro-3,4-dichloro-5-bromo-, 2-fluoro-5-chloro-3,4-dibromo-, 2-fluoro-3-chloro-4,5-dibromo-, 2-fluoro-3,4-dichloro-3-bromo-, 2-fluoro-3,6-dichloro-4-bromo-, 2-fluoro-3,4-dichloro-6-bromo-, 2-fluoro-6-chloro-3,4-dibromo-, 2-fluoro-4-chloro-3,6-dibromo-, 2-fluoro-4-chloro-3,6-dichloro-4-bromo-, 2-fluoro-4,6-dibromo-, 2-fluoro-5,6-dichloro-6-bromo-, 2-fluoro-6-chloro-4,5-dibromo-, 2-fluoro-6-chloro-4,5-dibromo-, 2-fluoro-5-chloro-4,6-dibromo- and 2-fluoro-4-chloro-5,6-dibromophenyl;
- 3-fluoro-4,5-dichloro-2-bromo-, 3-fluoro-2,5-dichloro-4-bromo-, 3-fluoro-2,4-dichloro-5-bromo-, 3-fluoro-4-chloro-2,5-dibromo-, 3-fluoro-2-chloro-4,5-dibromo-, 3-fluoro-5-chloro-2,4-dibromo-, 3-fluoro-4,6-dichloro-2-bromo-, 3-fluoro-2,6-dichloro-4-bromo-, 3-fluoro-6-chloro-2,4-dibromo-,

- 3-fluoro-4-chloro-2,6-dibromo-, 3-fluoro-2-chloro-4,6-dibromo-, 3-fluoro-5,6-dichloro-4-bromo-, 3-fluoro-4,6-dichloro-5-bromo-, 3-fluoro-4,5-dichloro-6-bromo-, 3-fluoro-6-chloro-4,5-dibromo-, 3-fluoro-4-chloro-5,6-dibromo- and 3-fluoro-5-chloro-4,6-dibromophenyl;
- 4-fluoro-2,3-dichloro-5-bromo-, 4-fluoro-2,5-dichloro-3-bromo-, 4-fluoro-3,5-dichloro-2-bromo-, 4-fluoro-3-chloro-5,6-dibromo-, 4-fluoro-3-chloro-2,5-dibromo-, 4-fluoro-2-chloro-3,5-dibromo-, 4-fluoro-2,3-dichloro-6-bromo-, 4-fluoro-2,6-dichloro-3-bromo-, 4-fluoro-2,5-dichloro-6-bromo-, 4-fluoro-2-chloro-5,6-dibromo-, 4-fluoro-2-chloro-3,6-dibromo- and 4-fluoro-3-chloro-2,6-dibromophenyl;
- 2-fluoro-4,5,6-trichloro-3-bromo-, 2-fluoro-3,5,6trichloro-4-bromo-, 2-fluoro-3,4,6-trichloro-5-bromo-, 2fluoro-3,4,5-trichloro-6-bromo-, 2-fluoro-5,6-dichloro-3,4dibromo-, 2-fluoro-4,6-dichloro-3,5-dibromo-, 2-fluoro-4,5dichloro-3,6-dibromo-, 2-fluoro-3,6-dichloro-4,5-dibromo-, 2fluoro-3,5-dichloro-4,6-dibromo-, 2-fluoro-3,4-dichloro-5,6dibromo-, 2-fluoro-3-chloro-4,5,6-tribromo-, 2-fluoro-4chloro-3,5,6-tribromo-, 2-fluoro-5-chloro-3,4,6-tribromo- and 2-fluoro-6-chloro-3,4,5-tribromophenyl;
- 3-fluoro-4,5,6-trichloro-2-bromo-, 3-fluoro-2,5,6trichloro-4-bromo-, 3-fluoro-2,4,6-trichloro-5-bromo-, 3fluoro-2,4,5-trichloro-6-bromo-, 3-fluoro-5,6-dichloro-2,4-

dibromo-, 3-fluoro-4,6-dichloro-2,5-dibromo-, 3-fluoro-4,5-dichloro-2,6-dibromo-, 3-fluoro-2,4-dichloro-5,6-dibromo-, 3-fluoro-2,5-dichloro-4,6-dibromo-, 3-fluoro-2,6-dichloro-4,5-dibromo-, 3-fluoro-6-chloro-2,4,5-tribromo-, 3-fluoro-5-chloro-2,4,6-tribromo-, 3-fluoro-4-chloro-2,5,6-tribromo- and 3-fluoro-2-chloro-4,5,6-tribromophenyl; and

- 4-fluoro-2,3,5-trichloro-6-bromo-, 4-fluoro-2,3,6trichloro-5-bromo-, 4-fluoro-2,3-dichloro-5,6-dibromo-, 4fluoro-2,6-dichloro-3,5-dibromo-, 4-fluoro-3,5-dichloro-2,6dibromo-, 4-fluoro-2,5-dichloro-3,6-dibromo-, 4-fluoro-2chloro-3,5,6-tribromo- and 4-fluoro-3-chloro-2,5,6tribromophenyl.
- 13. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 12, characterized in that claim 1, wherein the phenyl radical B¹ is selected from the group consisting of:
 - phenyl;
 - 2-, 3- and 4-halophenyl;
 - 2,3-, 2,4-, 2,5-, 2,6-, 3,4- and 3,5-dihalophenyl;
 - 2,3,4-, 2,4,5-, 2,4,6- and 3,4,5-trihalophenyl;
 - 2,3,4,6- and 2,3,4,5-tetrahalophenyl; and
 - pentahalophenyl.

- - 2-chloro-6-bromo-, 3-chloro-2-bromo-, 2-chloro-3-bromo-, 2-chloro-5-bromo-, 3-chloro-6-bromo-, 4-chloro-2-bromo- and 2-chloro-4-bromophenyl;
 - 2,4-dichloro-6-bromo-, 2,6-dichloro-4-bromo-, 4-chloro-2,6-dibromo-, 2-chloro-4,6-dibromo-, 2,3-dichloro-4-bromo-, 2,4-dichloro-3-bromo-, 3,4-dichloro-2-bromo-, 4-chloro-2,3-dibromo-, 3-chloro-2,4-dibromo-, 2-chloro-3,4-dibromo-, 3,4-dichloro-5-bromo-, 3,5-dichloro-4-bromo-, 3-chloro-4,5-dibromo- and 4-chloro-3,5-dibromophenyl;
 - 2,4,5-trichloro-6-bromo-, 2,4,6-trichloro-3-bromo-, 2,3,6-trichloro-4-bromo-, 2,3,4-trichloro-5-bromo- and 2,3,4-trichloro-6-bromo-, 2,4-dichloro-5,6-dibromo-, 2,5-dichloro-4,6-dibromo-, 3,4-dichloro-2,6-dibromo-, 2,6-dichloro-3,4-dibromo-, 2,4-dichloro-3,6-dibromo-, 2-chloro-4,5,6-tribromo-, 3-chloro-4,5,6-tribromo-, 4-chloro-2,5,6-tribromo-, 4-chloro-3,5,6-tribromo-, 3-chloro-2,4,6-tribromo- and 2-chloro-3,4,6-tribromophenyl; and
 - 2,3,4,5-tetrachloro-6-bromo-, 2,3,4,6-tetrachloro-5-bromo-,
 2,3,5,6-tetrachloro-4-bromo-, 2,2,4-trichloro-5,6-dibromo-,
 2,4,5-trichloro-3,6-dibromo-, 3,4,5-trichloro-2,6-dibromo-,

- 2,3-dichloro-4,5,6-tribromo-, 2,4-dichloro-3,5,6-tribromo-, 2,5-dichloro-3,4,6-tribromo-, 2,6-dichloro-3,4,5-tribromo-, 2-chloro-3,4,5,6-tetrabromo-, 3-chloro-2,4,5,6-tetrabromo- and 4-chloro-2,3,5,6-tetrabromophenyl.
- 15. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 14, characterized in that claim 1, wherein the phenyl radical A^2 is selected from the group consisting of
 - 3-fluorophen-1,2-ylene;

•


- 3-fluoro-4-chloro- and -4-bromophen-1,2-ylene;
- 3-fluoro-4,5-dichloro-, -4,5-dibromo-, -4-chloro-5-bromoand -4-bromo-5-chlorophen-1,2-ylene;
- 3-fluoro-4,5,6-trichloro-, -4,5,6-tribromo-, -4-chloro-5,6-dibromo-, -5-chloro-4,6-dibromo-, -4-bromo-5,6-dichloro- and -5-bromo-4,6-dichlorophen-1,2-ylene;
- 4-fluorophen-1,2-ylene;
- 4-fluoro-3-chloro- and -3-bromophen-1,2-ylene;
- 4-fluoro-5-chloro- and -5-bromophen-1,2-ylene;
- 4-fluoro-6-chloro- and -6-bromophen-1,2-ylene;
- 4-fluoro-3,5-dichloro-, -3,5-dibromo-, -3-chloro-5-bromoand -3-bromo-5-chlorophen-1,2-ylene;
- 4-fluoro-3,6-dichloro-, -3,6-dibromo-, -3-chloro-6-bromoand -3-bromo-6-chlorophen-1,2-ylene;

- 4-fluoro-5,6-dichloro-, -5,6-dibromo-, -5-chloro-6-bromo- and -5-bromo-6-chlorophen-1,2-ylene; and
- 4-fluoro-3,5,6-trichloro-, -3,5,6-tribromo-, -3-chloro-5,6-tribromo-, -3-bromo-5,6-dichloro-, -5-chloro-3,6-dibromo-, -5-bromo-3,6-dichloro-, -6-chloro-3,6-dibromo- and -6-bromo-3,6-dichlorophen-1,2-ylene.
- 16. (Currently Amended) Congeneric compounds as claimed in $\frac{1}{1}$ one of claims 1 to 15, characterized in that claim 1, wherein the phenyl radical B^2 is selected from the group consisting of
 - phen-1,2-ylene;
 - 3-chloro- and 3-bromophen-1,2-ylene;
 - 4-chloro- and 4-bromophen-1,2-ylene;
 - 3,4-dichloro-, 3,4-dibromo-, 3-chloro-4-bromo- and 3-bromo-4-chlorophen-1,2-ylene;
 - 3,5-dichloro-, 3,5-dibromo-, 3-chloro-5-bromo- and 3-bromo-5-chlorophen-1,2-ylene;
 - 4,5-dichloro-, 4,5-dibromo- and 4-chloro-5-bromophen-1,2ylene;
 - 3,4,5-trichloro-, 3,4,5-tribromo-, 3-chloro-4,5-dibromo-, 3-bromo-4,5-dichloro-, 4-chloro-3,5-dibromo- and 4-bromo-3,5-dichlorophen-1,2-ylene;
 - 3,4,6-trichloro-, 3,4,6-tribromo-, 3-chloro-4,6-dibromo-,

- 4-chloro-3,6-dibromo- and 4-bromo-3,6-dichlorophen-1,2-ylene; and
- 3,4,5,6-tetrachloro-, 3,4,5,6-tetrabromo-, 3-chloro-4,5,6-tribromo-, 3-bromo-4,5,6-trichloro-, 3,4-dichloro-5,6-dibromo-, 3,5-dichloro-4,6-dibromo-, 4,5-dichloro-3,6-dibromo- and 4,5-dibromo-3,6-dichlorophen-1,2-ylene.
- 17. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 17, characterized in that claim 1, wherein the phenyl radical A³ is selected from the group consisting of 2,3-, 2,4-, 2,5-, 2,6-, 3,4- and 3,5-difluorophenyl radicals and chlorinated and/or brominated 2,3-, 2,4-, 2,5-, 2,6-, 3,4- and 3,5-difluorophenyl radicals.
- 18. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 18, characterized in that claim 1, wherein the phenyl radical A⁴ is selected from the group consisting of 3,4-, 3,5-, 3,6- and 4,5-difluorophen-1,2-ylene radicals and chlorinated and/or brominated 3,4-, 3,5-, 3,6- and 4,5- difluorophen-1,2-ylene radicals.
- 19. (Currently Amended) Congeneric compounds as claimed in one of claims 1 to 18, characterized in that claim 1, wherein they are selected from the group consisting of:

- 4'-fluoro-2,3',4-tribromodiphenyl ether,
- 4'-fluoro-2,3',6-tribromodiphenyl ether,
- 4'-fluoro-2,3',4,6-tetrabromodiphenyl ether,
- 4'-fluoro-2,3,3',4,5,6-hexabromodiphenyl ether,
- 3'-fluoro-2,4,4'-trichlorobiphenyl and
- 4-methyl-2,2',5,6-tetrachloro-3'-fluorodiphenylmethane,
- 1-fluoro-2,3,7,8-tetrachlorodibenzo-p-dioxin,
- 2-fluoro-1, 4, 6, 9-tetrachlorodibenzo-p-dioxin,
- 4-fluoro-1,3,6,7,8,9-hexachlorodibenzofuran,
- 3,3'-dibromo-4,4'-difluorodiphenyliodonium chloride,
- 4,4'-dichloro-3,3',5,5'-tetrafluorodiphenyliodonium chloride,
- 2',3,3',4,5,5',6,6'-octabromo-2,4'-difluorodiphenyl ether,
- 4-methyl-2,2',5,6-tetrachloro-3,3'-difluorodiphenylmethane,
- 1,2,3,7,8,9-hexachloro-4,6-difluorodibenzofuran and
- 1,2,3,7,8,9-hexachloro-4,6-difluorodibenzo-p-dioxin.
- 20. (Currently Amended) A process for preparing congeneric, chlorinated, brominated and/or iodinated fluorinated aromatic compounds I, IV or V having two benzene rings in their base structure as claimed in one of claims 1 to 19, characterized in that claim 1, wherein

(1) a symmetrical difluorinated or tetrafluorinated iodonium salt of the general formula (VIII):



where the index and the variables are each defined as follows:

- t is 1 or 2,
- n is 0 or an integer from 1 to 4,
- q is an integer from 1 to 4,
- X is chlorine, bromine and/or iodine and
- Y is an acid anion;

is reacted with a chlorinated, brominated and/or iodinated phenol of the general formula (IX):

$$X_m$$
 OH (IX),

where the index m = 0 or an integer from 1 to 5 and the variable X is as defined above;

with the provisos that m = an integer from 1 to 5 when n = 0; or, alternatively,

(2) a symmetrical unfluorinated diphenyliodonium salt of the general formula (X):

$$\left(\begin{array}{c} X_m \\ X_m \end{array} \right) Y^{q_m}$$

$$(X)_i$$

where the variables X and Y and the indices m and q are each as defined above;

is reacted with a monofluorinated or difluorinated phenol of the general formula (XI):

where the index n and the variable X are each as defined above and the index t = 1 or 2;

with the provisos that m = an integer from 1 to 5 when n = 0, and n = an integer from 1 to 4 when m = 0.

21. (Currently Amended) A process for preparing congeneric, chlorinated, brominated and/or iodinated, fluorinated aromatic compounds of the general formula I, II or IV to VII having two benzene rings in their base structure as claimed in one of claims 1 to 19, characterized in that claim 1, wherein

(1) a chlorinated, brominated and/or iodinated aromatic compound having two benzene rings in its base structure of the general formula XII or XIII:

$$B^1-(L)_p-B^1$$
 (XII) or

$$B^2$$
 $(XIII)$;

where the variables B^1 , B^2 and L and the index p are each as defined above, with the proviso that at least one of the phenyl radicals B^1 or B^2 is chlorinated, brominated and/or iodinated; is monofluorinated or difluorinated, or, alternatively,

(2) a monofluorinated or difluorinated, aromatic compound having two benzene rings in its base structure of the general formulae XIV to XIX:

$$A^{1}-(L)_{p}-B^{1}$$
 (XIV),

$$A^{1}-(L)_{p}-A^{1}$$
 (XV),

$$A^{3}-(L)_{p}-B^{1}$$
 (XVI),

$$A^{2}$$
 B^{2}
(XVII),

$$A^{2}$$
 A^{2}
 A^{2

$$A^{4}$$
 B^{2}
 $(X|X);$

where the indices and the variables are each as defined above, with the proviso that the phenyl radicals A^1 to A^4 and B^1 and B^2 are not chlorinated, brominated or iodinated,

is chlorinated, brominated and/or iodinated, or,

alternatively,

- (3) a chlorinated, brominated and/or iodinated benzene derivative is reacted with a brominated and/or iodinated, monofluorinated or difluorinated benzene or alkylbenzene or a brominated and/or iodinated, chlorinated, monofluorinated or difluorinated benzene or alkylbenzene, or, alternatively,
- (4) a chlorinated, brominated and/or iodinated, monofluorinated or difluorinated benzene derivative is reacted with a brominated and/or iodinated benzene or alkylbenzene or a brominated and/or iodinated, chlorinated benzene or alkylbenzene.
- 22. (Currently Amended) The process as claimed in claim 21, characterized in that wherein the benzene derivative is a benzene boric acid.
- 23. (Currently Amended) A process for preparing congeneric, chlorinated, brominated and/or iodinated, difluorinated or tetrafluorinated diphenyliodonium salts of the general formula III as claimed in one of claims 1 to 19, characterized in that claim 1, wherein a chlorinated, brominated and/or iodinated,

monofluorinated or difluorinated benzene is reacted with iodyl sulfate.

- 24. (Currently Amended) The use of the congeneric, chlorinated, brominated and/or iodinated monofluorinated compounds of the general formula I, II or IV to VII as claimed in one of claims 1 to 19 claim 1 and of the a congeneric, chlorinated, brominated and/or iodinated, monofluorinated compounds having two benzene rings in their base structure of the general formula I, II or IV to VII prepared by a process as claimed in one of claims 20 to 22 in the analysis of organic compounds wherein,
- (1) a symmetrical difluorinated or tetrafluorinated iodonium salt of the general formula (VIII):

$$\left(\begin{array}{c} F_{i} \\ X_{n} \end{array}\right) Y^{q_{i}}$$
 $\left(\begin{array}{c} X_{n} \\ Y_{n} \end{array}\right)$

where the index and the variables are each defined as

follows:

t is 1 or 2,


n is 0 or an integer from 1 to 4,

q is an integer from 1 to 4,

X is chlorine, bromine and/or iodine and

Y is an acid anion;

is reacted with a chlorinated, brominated and/or iodinated phenol of the general formula (IX):



(IX),


where the index m = 0 or an integer from 1 to 5 and the variable X is as defined above;

with the provisos that m = an integer from 1 to 5 when n = 0; or, alternatively,

(2) a symmetrical unfluorinated diphenyliodonium salt of the general formula (X):

where the variables X and Y and the indices m and q are each as defined above;

is reacted with a monofluorinated or difluorinated phenol of the general formula (XI):



where the index n and the variable X are each as defined above and the index t = 1 or 2;

with the provisos that m = an integer from 1 to 5 when n = 0, and n = an integer from 1 to 4 when m = 0.

- 25. (Currently Amended) The use as claimed in claim 24, characterized in that wherein the congeneric, chlorinated, brominated and/or iodinated, monofluorinated compounds of the general formula I, II or IV to VII are used in the analysis of halogenated organic compounds.
- 26. (Currently Amended) The use as claimed in claim 25, characterized in that wherein the compounds of the general formula I, II or IV to VII are used
 - as internal standards or surrogate standards which, together with their parent compounds, pass through physical, chemical and/or biological processes and are then detected and/or analyzed together with them or separately from them,
 - as external standards which, in place of their parent compounds, pass through physical, chemical and/or biological

processes for the purposes of calibrating these processes and are analyzed and/or detected separately from the parent compounds, and/or

- as model compounds which, in place of their parent compounds, pass through chemical and/or biological processes for the purposes of elucidating the reaction mechanisms and whose reaction products are detected and/or analyzed.
- 27. (Currently Amended) The use as claimed in claim 26, characterized in that wherein the parent compounds are congeneric, chlorinated, brominated and/or iodinated diphenyl ethers, biphenyls, diphenylmethanes, dibenzo-p-dioxins and dibenzofurans.